The University Interscholastic League Number Sense Test • HS B • 2018

	Number Se	ense Test • HS B • 2018			
			Final		
C	Contestant's Number		2nd		
			1st		
	v v	OT UNFOLD THIS SHEET TIL TOLD TO BEGIN	Score	Initials	
8 S e:	Directions: Do not turn this page until the person conducting of problems. Solve accurately and quickly as many as you can solve MENTALLY. Make no calculations with paper ach problem. Problems marked with a (*) require approxive percent of the exact answer will be scored correct; all other.	an in the order in which they appear. ALI r and pencil. Write only the answer in t timate integral answers; any answer to a	L PROBLEMS ARE the space provided at the	TO BE he end of	
Т	he person conducting this contest should explain these	directions to the contestants.			
	STO	P WAIT FOR SIGNAL!			
(1)	2018 — 201 — 20 =	(19) 11 × 369 =			
	8(10) + 8(12) + 8(2) =				
(3)	37 × 25 =	(21) Find the simple interest	t on \$600.00 at a rat	te of 4%	
(4)	2018 ÷ 9 has a remainder of	for 5 months. \$			
	1234 × 9 + 5 =	$(23) 72 \times 78 =$			
	87.5% =	(24) The sum of 3 consecutive	(24) The sum of 3 consecutive integers is 84. The largest of these integers is		
	27 ² =				
(9)	MCCXLI = (Arabic Numeral)	$(26) 1 + 3 + 5 + 7 + \dots + 4$	47 + 49 =		
*(10)	20 + 81 × 218 =	(27) $(4 \times 9 + 6) \div 7$ has a re-	emainder of =		
	If 1 gram = .04 oz, then 800 grams = lbs	(28) The number of positive	integer divisors of	24 is	
	The largest prime divisor of 253 is	(29) The largest root of 15x ²	$x^2 + 2x - 1 = 0$ is _		
	4.8 × 75 =	$(30) \vee 231 + \vee 333 + \vee 4$	40 =		
	The LCM of 63 and 28 is	(31) A square has a perimet		_	
(16)	1992 × 8 + 64 =	(32) Let $(5x-1)^2 = ax^2 + b$	$\mathbf{p}\mathbf{x} + \mathbf{c}$. Find $\mathbf{a} + \mathbf{b}$	+ c	
(17)	$\frac{18}{(5^3)(2)} = \underline{\hspace{1cm}}$	(33) 0.1373737	(proper	fraction	
	1 2	(34) Change 37 base 8 to base	se 10.		

- (35) The smallest root of $(x 1)^2 = \frac{1}{4}$ is _____
- (36) The measure of a central angle of a regular septagon is _____
- (37) Find x if 3x y = 8 and x + y = 6. $x = _____$
- (38) Given: 547B6 is divisible by 6. Find B > 5. _____
- $(39) \ (\sqrt{256} \sqrt{484})^3 = \underline{\hspace{1cm}}$
- *(40) 42 × 37 + 1500 = _____
- (41) If $f(x) = 2x^2 x 4$ then f(-3) =
- (42) The sum of the prime divisors of 42 is _____
- (43) 5.6 is ______ % less than 8
- $(44) \frac{1}{4} \text{ mile} = \underline{\hspace{1cm}} \text{yards}$
- (45) If $3^{(x+y)} = 81$ then $(x + y)^3 =$
- $(46) 121_5 \div 4_5 = \underline{\hspace{1cm}}$
- $(47) \ \ 32^2 37^2 =$
- (48) Given the sequence 2, 6, 14, 30, 62, k, 254, k =
- (49) The sum of the reciprocals of all of the positive integral divisors of R is 1.444... . R = ______
- *(50) $\sqrt[3]{531441} =$
- (51) If a triangle has integral sides of 6, 10, and x then x + 3 >
- $(52) 11101₂ = _____4$
- (53) $60 + 30 + 15 + 7.5 + \dots =$
- (54) The vertex of $y = 3x^2 + 6x + 1$ is (h, k). $k = ____$
- (55) The 12th triangular number is _____
- (56) (259)(39)(k) = 121,212. k =
- (57) $\ln e^{10} =$
- (58) The probability of randomly selecting an ace from a standard deck of cards is ______ (fraction)

- (59) If $x^2 + y^2 = 53$, x > y and both x and y are positive integers, then y =
- *(60) 11 × 22 × 33 × 44 = _____
 - (61) Find the sum of all positive integers x such that $3x 1 \le 8$.
- $(62) 241 \times 246 =$
- (63) 0.1333... base 5 = _____ base 10 (fraction)
- (64) Let $\frac{3+i}{i} = a + bi$. Find a. _____
- (65) $\begin{bmatrix} 2 & 5 \\ 3 & 7 \end{bmatrix} + \begin{bmatrix} 1 & -1 \\ 1 & -1 \end{bmatrix} = \begin{bmatrix} a & c \\ b & d \end{bmatrix}. ab cd = \underline{\qquad}$
- (66) tan(135°) = _____
- (67) $\cot(\frac{5\pi}{4}) =$ _____
- (68) $(x^2 + 5) \div (x + 2)$ has a remainder of ______
- (69) The surface area of a cube is 96 cm². The perimeter of a single face of the cube is ____ cm
- *(70) $\pi^2 \times e^3 \times \phi^4 =$ _____
- (71) Find $x, 4 \le x \le 8$, if $3x 4 \equiv 5 \pmod{9}$. x =
- (72) The first four digits of the decimal for $\frac{3}{10}$ base 5 is 0. _____ base 5
- (73) f'(x) = 2, f(1) = 3, find f(4).
- (74) The minimum value of $y = 3x^2 2$ is _____
- $\lim_{x \to 2} \frac{2x^2 8}{x 2} = \underline{\hspace{1cm}}$
- (76) The length of the tangent from (5, 0) to the circle $x^2 + y^2 = 9$ is _____
- (77) $\int_{0}^{2} (4-x) dx = \underline{\hspace{1cm}}$
- (78) $8^7 \div 6$ has a remainder of _____
- (79) 4 bushels + 3 pecks 1 quart = _____ pints
- *(80) $3\frac{1}{4} \times 13413 \div 26 =$

University Interscholastic League - Number Sense Answer Key HS • Invitation B • Fall 2018

*number) x - y means an integer between x and y inclusive

NOTE: If an answer is of the type like $\frac{2}{3}$ it cannot be written as a repeating decimal

(1) 1,797

(19) 4,059

(35) .5, $\frac{1}{2}$

(59) 2

(2) 192

*(20) 257 — 283

 $(36) \ \frac{360}{7}, \ 51\frac{3}{7}$

*(60) 333,815 — 368,953

(3) 925

(21) \$10.00

(37) 3.5, $\frac{7}{2}$, $3\frac{1}{2}$

(61) 6

(4) 2

(22) 7

(38) 8

(62) 59,286

(5) 11,111

(23) 5,616

(39) - 216

(63) $\frac{7}{20}$

(6) $\frac{7}{8}$

(24) 29

*(40) 2,902 — 3,206

(64) 1

 $(7) - \frac{4}{35}$

 $(25) \frac{532}{9}, 59\frac{1}{9}$

(41) 17

(65) - 12

(8) 729

(26) 625

(42) 12

(66) - 1

(9) 1,241

(27) 0

(43) 30

(67) 1

*(10) 16,795 — 18,561

(28) 8

(44) 440

(68) 9

(11) 2

(29) .2, $\frac{1}{5}$

(45) 64

(69) 16

(12) 23

*(30) 55 — 59

(46) 14

*(70) 1,291 — 1,426

(13) 360

(31) 12

(47) - 345

(71) 6

(14) 252

(32) 16

(48) 126

(72) 2444

(15) - 42

 $(33) \frac{68}{495}$

(49) 9

(73) 9

(16) 16,000

(34) 31

*(50) 77 — 85

(74) - 2

(17) .072, $\frac{9}{125}$

(51) 7

(75) 8

(52) 131

(76) 4

 $(18) \ \frac{31}{12}, 2\frac{7}{12}$

(53) 120

(77) 6

(54) - 2

(78) 2

(55) 78

(79) 302

*(80) 1,593 — 1,760

(56) 12

(57) 10

 $(58) \frac{1}{13}$